



Automotive

Compressed-air equipment

HAND-HELD TYRE INFLATOR - DIGIAIR



HAND-HELD TYRE INFLATOR - DIGIAIR

Compact, reliable and intelligent



Overview of functions



Fast and reliable!

The handy tool for quick and professional tyre pressure control

The robust ceramic sensor guarantees accurate measuring results. The measuring tolerance is above the EG 86/217 industry standard. Furthermore, the sensor provides an increased lifetime for the tool.



Better control

by easy-to-read display


The integrated software ensures quick and reliable handling as well as extremely accurate measuring results. The clear display reduces the probability of reading errors.



Additional features

- Ceramic sensor
- Easy-to-read display
- Proprietary software
- Better control of air supply
- Battery check lamp
- Overpressure warning, if pressure exceeds 12 bar
- Modern, light-weight and shock-resistant construction

PTB - approval



BENEFITS

- User-friendly
- Minimizes costs
- Improved customer service
- Flexible use
- Long lifetime
- Reliable

Modern, light-weight and shock-resistant construction



HAND-HELD TYRE INFLATOR - DIGIAIR

Technical data

Display accuracy	0.01 bar (exceeds the EG directives 86/217)
Connection thread	3/8"
Filling hose	180 cm (with Quick clip-on connector)
Maximum inlet pressure	max. 15 bar
Tyre inflation speed	max. 910 l/min. at 13 bar nlet pressure
Inflation range	0 - 12 bar
Operating temperature	-20 bis +60 °C
Storage temperature	-30 bis +80 °C
Relative air humidity	up to 95%
Power supply	min. 2.6 V / max. 3.6 V
Battery	one replaceable 3 V round cell battery type CR2450
Battery lifetime	over 950 hours under normal working conditions
Dimensions (L x W)	250 x 110 mm
Weight	0.35 kg


Ref. No.	Description/type
519 19 40	DIGIAIR hand-held tyre inflator digital (calibrated)
519 19 41	DIGIAIR hand-held tyre inflator digital (uncalibrated)

The pictures shown in the brochure may differ from the delivered equipment and include optional accessories. For detailed information on optional accessories, please request the respective brochure or visit us at www.rema-tiptop.com.

We manage your workshop

One brand – One source – One system

REMA TIP TOP is synonymous for first-class products, systems and services from a single source. We convince our customers by our progressive technology, landmark innovations and a world-wide service network.



Your local contact:

REMA TIP TOP GmbH Business Unit Automotive

Gruber Straße 63
85586 Poing/Germany

Tel.: +49 81 21 707-234
Fax: +49 81 21 707-222

www.rema-tiptop.com
info@tiptop.de