

Chemical products

# MOUNTING LUBRICANTS TRACTOR/EM/IND



Automotive



# MOUNTING LUBRICANTS TRACTOR/EM/IND

## UNIVERSAL MOUNTING PASTE



- Excellent lubrication
- Dries rather quickly, does not spatter
- Chemically neutral to rubber and metal
- Approved by Daimler

| Ref. No.  | Description/type                   |
|-----------|------------------------------------|
| 593 05 91 | UNIVERSAL Mounting (1 kg bucket)   |
| 593 06 01 | UNIVERSAL Mounting (3,5 kg bucket) |
| 593 06 32 | UNIVERSAL Mounting (5 kg bucket)   |
| 593 06 25 | UNIVERSAL Mounting (10 kg bucket)  |

## BLACK TYRE MOUNTING PASTE



- Dries rather quickly
- Invisible on tyre sidewall
- Excellent lubrication
- Chemically neutral to rubber and metal

| Ref. No.  | Description/type                           |
|-----------|--|
| 593 17 65 | BLACK TYRE MOUNTING PASTE<br>(5 kg bucket) |

## MOUNTING CREAM W-EM



- Effizient application to large tyres
- Cream-type viscosity
- Stable viscosity (brush cannot sink in)

| Ref. No.  | Description/type                  |
|-----------|-----------------------------------|
| 593 05 39 | Mounting Cream W-EM (5 kg bucket) |

## MONTSEAL



- 2 in 1: mounting paste and bead sealer
- Durably seals small leaks on the tyre beads
- Can be applied in one operation
- Ideal for retreading and the mounting of used tyres

| Ref. No.  | Description/type       |
|-----------|------------------------|
| 593 13 32 | MONTSEAL (5 kg bucket) |

## LIQUID BEAD LUBRICANT



- Strong and long-lasting sliding coat
- Ideal for SE- and SIT-tyres
- Reduces wear to wheels and tyre changers
- Recommended by Continental

| Ref. No.  | Description/type                   |
|-----------|------------------------------------|
| 593 03 88 | Liquid Bead Lubricant (1 l bottle) |
| 593 56 20 | Liquid Bead Lubricant (25 l can)   |




## BENEFITS

- Special assembly means for the most diverse ranges of application
- Economic usage
- Provides for optimal and careful assembly flows
- Easy application
- Dries rather quickly, does not spatter
- Chemically neutral to rubber and metal
- Available in different amount of filling

High performance assembly means with highly developed special characteristics for the most diverse fields of application.

For highest requirements in each workshop and for optimized and careful operational sequences.

## ANTI-GLISS-LUBE




- Prevents the tyre from slipping on the rim
- Durably elastic after drying
- Initially with good sliding effect

| Ref. No.  | Description/type            |
|-----------|-----------------------------|
| 593 00 72 | ANTI-GLISS-LUBE (500 g tin) |

# We manage your workshop – Quality with a system.

REMA TIP TOP is synonymous for first-class products, systems and services from a single source. We satisfy our customers by our progressive technology, landmark innovations and a world-wide service network.



The pictures shown in the brochure may differ from the delivered equipment and include optional accessories. For detailed information on optional accessories, please request the respective brochure or visit us at [www.rema-tiptop.com](http://www.rema-tiptop.com).

Your local contact:

## REMA TIP TOP GmbH Business Unit Automotive

Gruber Straße 63  
85586 Poing/Germany

Tel.: +49 81 21 707-234  
Fax: +49 81 21 707-222

[www.rema-tiptop.com](http://www.rema-tiptop.com)  
[info@tiptop.de](mailto:info@tiptop.de)