

Vulcanizing material, equipment and accessories

TT SEAL XXL



Automotive



TT SEAL XXL

**Preventing tyre punctures
with benefits of premium quality!**

Avoiding downtime:

You are busy working, suddenly, one of your tyres gets a tread puncture, and starts losing air. You have to interrupt your work, in order to fit a spare wheel and to have the damaged tyre repaired by a specialist. Thus, you will lose a lot of valuable working hours.

A preventive measure:

The preventive viscous tyre sealant TT SEAL XXL is previously introduced into the intact tyres, through the inflation valves, using a hand pump. During wheel rotation, the TT SEAL XXL flows over the tread inside the tyre, while ready to immediately seal an up-to-8 mm injury to the casing.



593 12 77 TT SEAL XXL hand pump



593 12 84 Valve adapter, from hand pump hose to valve



593 12 60 TT SEAL XXL 60 l PE-barrel



BENEFITS

- Expensive downtime to the vehicle is avoided
- **Tread punctures** (with up to 8 mm damage to the casing) **are automatically sealed**
- Easy application into tyres already mounted on their wheel rims
- Repairs inside the tyre are not adversely affected
- **Effective for the whole lifetime of the tyre**
- Tyres filled with TT SEAL XXL continue to be fully retreadable and repairable

TT SEAL XXL contains microfibrres. As soon as a puncture occurs, the tyre inflation pressure squeezes them automatically into the injury. The liquid ingredients of TT SEAL XXL come out as drops on the tyre outside, where they dry. The microfibrres durably seal the puncture channel, while staying elastic enough to easily withstand any tyre flexing strain. TT SEAL XXL is approved for a speed of up to 40 km/h.




TT SEAL XXL

Ref. No.	Description/type
593 12 53	TT SEAL XXL 30 l PE-barrel
593 12 60	TT SEAL XXL 60 l PE-barrel
593 12 77	TT SEAL XXL hand pump capacity 100 ml per stroke (suitable for 30 l and 60 l PE-barrel)
593 12 84	Valve adapter, from hand pump hose to valve (including reducer from VG12 to VG8)

We manage your workshop. Quality with a system.

REMA TIP TOP is synonymous for first-class products, systems and services from a single source. We convince our customers by our progressive technology, ground-breaking innovations and a world-wide service network.



The pictures shown in the brochure may differ from the delivered equipment and include optional accessories. For detailed information on optional accessories, please request the respective brochure or visit us at www.rema-tiptop.com.

Your local contact:

REMA TIP TOP GmbH Business Unit Automotive

Gruber Straße 63
85586 Poing/Germany

Tel.: +49 81 21 707-234
Fax: +49 81 21 707-222

www.rema-tiptop.com
info@tiptop.de