



Automotive

Vulcanizing material, equipment and accessories

THERMOPRESS DUPLEX



THERMOPRESS DUPLEX

The cost-saving way to expert tyre repairs

The cost-saving option for hot-repairs to the tread, shoulder and sidewall.

Enables the professional repair of passenger car, light truck, truck and agricultural tyres.



517 38 91



BENEFITS

- **Low investment – quick return on purchase cost**
- Automatic switching off with timer (120 mins.)
- Universal installation on workbench or on separate support stand
- **Light-weight, portable**
- Easy-to-handle mechanism



517 19 58



517 19 65
517 19 89
517 24 38

OPTIONAL ACCESSORIES:

- 517 38 91 Support stand, for floor-mounting
- 517 38 84 Table support clamp
- 517 19 58 Aluminium contour plate (210 x 140 mm)
- 517 19 65 Pressure equalizing pad (260 x 100 mm)
- 517 19 89 Pressure equalizing pad (210 x 150 mm)
- 517 24 38 Pressure equalizing pad (180 x 130 mm)

THERMOPRESS DUPLEX

Technical data

Mains supply	230 V (115 V)
Nominal power input	600 W
Operating temperature	approx. 145 °C (293 °F) (with integrated safety cutout)
Pressure	approx. 8600 N
Curing time control	timer 0–120 mins.
Machine weight	approx. 33 kg
Size (LxWxH)	approx. 810 x 430 x 160 mm


We reserve the right to carry out modifications which we consider to be technically advantageous.

Ref. No.	Description/type
517 70 00	TP Duplex (230 V)
517 70 17	TP Duplex (115 V)

The pictures shown in the brochure may differ from the delivered equipment and include optional accessories. For detailed information on optional accessories, please request the respective brochure or visit us at www.rema-tiptop.com.

We manage your workshop. Quality with a system.

REMA TIP TOP is synonymous for first-class products, systems and services from a single source. We convince our customers by our progressive technology, ground-breaking innovations and a world-wide service network.



Your local contact:

REMA TIP TOP GmbH Business Unit Automotive

Gruber Straße 63
85586 Poing/Germany

Tel.: +49 81 21 707-234
Fax: +49 81 21 707-222

www.rema-tiptop.com
info@tiptop.de